

Adelaide City Council  
ABN 20 903 762 572  
Customer Centre  
25 Pirie Street, Adelaide  
GPO Box 2252 Adelaide  
South Australia 5001  
Tel 08 8203 7203  
Fax 08 8203 7575  
[city@adelaidecitycouncil.com](mailto:city@adelaidecitycouncil.com)

Dr Greg Ogle  
Snr Policy and Research Analyst  
A/g Executive Director  
SACOSS  
47 King William Road  
UNLEY SA 5061

Dear Dr Ogle,

I am writing in response to your letter of 11 April 2014 regarding the City Wide Dry Area Review. We understand that SACOSS are unable to provide a submission to the Dry Area Review at this time. I believe from personal communications with our staff that there are resource implications currently for SACOSS, and this is understandable. As requested, in lieu of a submission for 2014, we will review previous SACOSS submissions for consideration.

Although SACOSS were unable in this review to provide a representative submission for your members we very much appreciate the efforts you have made to contact us regarding SANDAS and ICHAG as other peak bodies to include in the review. We immediately invited them to participate and have received excellent submissions from both, so thank you again.

It appears there may be concern or miscommunication regarding the review. Please be assured that we have received submissions outlining concerns and issues regarding the impact of the Dry Area on vulnerable people. This information has been sought out by Council and we are glad to have received robust responses that represent a variety of views.

I would also like to add that should you need more time to complete a submission we would like to offer you an extension to the 28 April, as we have also provided this to others. Please do not hesitate to contact me should you wish to discuss this further

Yours sincerely

Joanna Beaumont  
A/Program Manager  
City Safety and Customer Services

